



## EYE CONTOUR REFRESH

Tested in a VISIA study this formula showed a decrease of visible wrinkles of about 11 % after 15 minutes of application. This serum contains 2 % of VIVAPUR® CS 4 FM which is a natural wrinkle filler and a JRS innovation.

For VIVAPUR® CS 4 FM Anti-Wrinkle Study !

Phase	Product Name	INCI	Functions	%
A	Demineralized Water	Aqua	Solvent	81.2
	Glycerin (AMI)	Glycerin	Humectant	3.0
B	Rheocare™ C Plus	Carbomer	Thickener	0.2
C	Cosmedia® SP	Sodium Polyacrylate	Thickener	0.5
	Eumulgin® Prisma	Disodium Cetearyl Sulfosuccinate	Emulsifier O/W	0.5
	Cetiol® Sensoft	Propylheptyl Caprylate	Emollient	7.0
	Cetiol® RLF	Caprylyl Caprylate/Caprate	Emollient	5.0
D	NaOH (a.s. 20 %)	Sodium Hydroxyde	pH Adjuster	0.6
E	<b>VIVAPUR® CS 4 FM</b>	<b>Microcrystalline Cellulose</b>	<b>Wrinkle Filler</b>	<b>2.0</b>
	Preservative	Preservative	Preservative	0.5

Formulated by AMI CHIMIE, France

### Process

Mix phase A with stirring until homogenization (600 rpm).

Heat phases A and C at 80 °C.

Disperse phase B in phase A with stirring (20 - 30 min - 1200 rpm).

Make the emulsion, add phase C in A + B with high stirring.

Cool the emulsion.

At 35 °C, add phase D, then the Ingredients of phase E one by one.

..... [www.jrspersonalcare.com](http://www.jrspersonalcare.com)