

COTTON CANDY LONG LASHES

A lengthening and nourishing deep black mascara.

VIVAPUR® CS TEX Easy is used to stabilize the emulsion and it has good filming properties.

VITACEL® CS 300 FC are cellulose fibers (300 microns) with lengthening action on eyelashes.

Phase	Product Name	INCI	Functions	%
A	Demineralized Water	Aqua	Solvent	45.0
	VIVAPUR® CS TEX Easy	Microcrystalline Cellulose, Xanthan Gum, Cellulose Gum	Rheology Modifier	0.5
	BLACK P-35	Water, Black 2, Butylene Glycol, Laureth-20, 1,2-Hexanediol	Color Dispersion	10.0
	SDI MATTE BLACK	CI 77019, CI 77499	Black Pigment	3.0
	PVP-VA E 535	VP/VA Copolymer	Filming Agent	2.0
B	GUM ARABIC	Acacia Senegal Gum	Filming Agent	1.0
	Demineralized Water	Aqua	Solvent	4.0
C	Triethanolamine	Triethanolamine	pH adjuster	3.0
	STEARIC ACID	Stearic Acid	Consistency Factor	6.0
	CARNUBA WAX T3	Copernicia Cerifera wax	Consistency Factor	6.0
	TEA WAX 6614	Camellia Sinensis Leaf Cera	Consistency Factor	7.0
	KAHLWAX 2039 L	Candelilla Cera	Consistency Factor	2.5
	JAPAN WAX	Rhus Succedanea Fruit Wax	Consistency Factor	2,5
	OLIO D'ARGAN	Argania Spinosa Oil	Emollient	0.5
	GALOLIVE BIO TEN	Polyglyceryl-3 Cetearyl Ether Olivat	Emulsifier	3.0
D	ANTARON V220-F	VP/Eicosene Copolymer	Filming Agent	2.0
	EUXYL PE 9010	Phenoxyethanol, Ethylhexylglycerin	Preservative	1.0
E	VITACEL® CS 300 FC	Cellulose	Lash Extension	1.0

Formulated by Laboratorio Cosmopolita, Italy

Process

Heat phase A at 80 °C, add phase B. Heat phase C at 75 °C. Add phase C to A + B mixing with the homogenizer. Add D + E and mix.