



SILICONE-FREE BLUR

The synergy between VIVAPUR® CS TEX Easy and VIVASTAR® CS INSTANT Powder brings silicone like skin feel. In addition with a waxy agent it gives you access to this BLUR without using a silicone. This BLUR is a light and silky texture.

Phase	Product Name	INCI	Functions	%
A	Demineralized Water	Aqua	Solvent	68.05
B	Glycerine 99.5 AMI RSPO MB	Glycerin	Humectant	3.0
	XG FNCS-PC	Xanthan Gum	Rheology Modifier	0.8
C	VIVAPUR® CS TEX Easy	Microcrystalline Cellulose, Cellulose Gum, Xanthan Gum	Rheology Modifier	1.0
D	VIVASTAR® CS INSTANT Powder	Sodium Carboxymethyl Starch	Rheology Modifier	6.0
E	Emulgin® SG	Sodium Stearoyl Glutamate	O/W Emulsifier	0.7
	Cetiol® SB 45	Butyrospermum Parkii (Shea) Butter	Waxy Emollient (42-46 °C)	10.0
	Cegesoft® VP	Olus Oil, Hydrogenated Vegetable Oil, Candelilla Cera	Waxy Emollient (30-40 °C)	4.0
	Olive Tree Leaf MH Olive	Olea Europaea Fruit Oil, Tocopherol, Glycine Soja Oil, Olea Europaea Leaf Extract	Oily Maceration	2.5
	Citrofol® BII	Acetyl Tributyl Citrate	Emollient	2.5
F	Geogard® ECT (CQ Masso)	Benzyl Alcohol, Salicylic Acid, Glycerin, Sorbic Acid	Preservative	1.0
	Cloisonne® Cerise Flambe 550Z	Mica, Iron Oxides	Titanium-Free Effect Pigment	0.05
	Cosmos Exotic Cranberry Fragrance (Robertet)	Fragrance	Fragrance	0.3
	Nephoria™ Bc10044	Maltodextrin, Nephelium Lappaceum Leaf Extract	Anti-Ageing Active Ingredient	0.1
G	Citric Acid Solution (20 %)	Aqua, Citric Acid	pH Adjuster	QS

Formulated by AMI CHIMIE, France

% Natural Origin with Formulation Water* 95.93

Process

Make the glycerine + xanthan premix from phase B, then add it to phase A and mix by stirring vigorously for 15 minutes.

Add phase B by stirring gently then mix for 5 minutes by stirring vigorously.

Add phase D and mix for 10 minutes by mixing gently.

Make the emulsion by pouring phase E into the mixture then mix by stirring vigorously for 10 minutes.

Then, add the ingredients of phase F and mix for 5 minutes.

Finally, adjust to pH 4.8 - 5.3 with phase G.

..... www.jrspersonalcare.com